

BBB Kit™ References (June 30, 2022)

From PharmaCo-Cell (3 publications)

- 1) S Nakagawa et al. A new blood-brain barrier model using primary rat brain endothelial cells, pericytes and astrocytes. *Neurochem Int.* 2008, <https://doi.org/10.1016/j.neuint.2008.12.002>
- 2) S Nakagawa et al. Pericytes from brain microvessels strengthen the barrier integrity in primary cultures of rat brain endothelial cells. *Cell Mol Neurobiol.* 2007 <https://doi.org/10.1007/s10571-007-9195-4>
- 3) D Watanabe et al. Characterization of a Primate Blood-Brain Barrier Co-Culture Model Prepared from Primary Brain Endothelial Cells, Pericytes and Astrocytes. *Pharmaceutics* 2021, <https://doi.org/10.3390/pharmaceutics13091484>

MBT-24H (21 publications)

Permeability Assay (14 publications)

- 1) Gómez PMS et al. GRL-04810 and GRL-05010, difluoride-containing nonpeptidic HIV-1 protease inhibitors (PIs) that inhibit the replication of multi-PI-resistant HIV-1 in vitro and possess favorable lipophilicity that may allow blood-brain barrier penetration. *Antimicrob Agents Chemother.* 2013;57(12):6110–21. <https://doi.org/10.1128/AAC.01420-13>
- 2) Amano M et al. A novel tricyclic ligand-containing nonpeptidic HIV-1 protease inhibitor, GRL-0739, effectively inhibits the replication of multidrug-resistant HIV-1 variants and has a desirable central nervous system penetration property in vitro. *Antimicrob Agents Chemother.* 2015;59(5):2625–35. <https://doi.org/10.1128/aac.04757-14>
- 3) Amano M et al. A modified P1 moiety enhances in vitro antiviral activity against various multidrug-resistant HIV-1 variants and in vitro central nervous system penetration properties of a novel nonpeptidic protease inhibitor, GRL-10413. *Antimicrob Agents Chemother.* 2016;60(12):7046–59. <https://doi.org/10.1128/aac.01428-16>
- 4) Yamashita S et al. Mechanisms of carnosine-induced activation of neuronal cells. *Biosci Biotechnol Biochem.* 2017 Dec 11:1-6. <https://doi.org/10.1080/09168451.2017.1413325>
- 5) Lazzarini C et al. Acylhydrazones as antifungal agents targeting the synthesis of fungal sphingolipids. *Antimicrob Agents Chemother.* 2018 Mar 5. <https://doi.org/10.1128/AAC.00156-18>
- 6) Yamamoto Y et al. Vascular RAGE transports oxytocin into the brain to elicit its maternal bonding behaviour in mice. *Communications Biology* volume 2, Article number: 76 (2019) <https://doi.org/10.1038/s42003-019-0325-6>
- 7) Amano M et al. Novel Central Nervous System (CNS)-Targeting Protease Inhibitors for Drug-Resistant HIV Infection and HIV-Associated CNS Complications. *Antimicrob Agents Chemother.* 2019

<https://doi.org/10.1128/AAC.00466-19>

8) Shimizu Yu et al. Neuroprotective Effects of Endogenous Secretory Receptor for Advanced Glycation End-products in Brain Ischemia. *Aging Dis* 2019 <http://dx.doi.org/10.14336/AD.2019.0715>

9) Yamaguchi S et al., Novel cyclic peptides facilitating transcellular blood-brain barrier transport of macromolecules in vitro and in vivo. *Journal of Controlled Release*. 2020 <https://doi.org/10.1016/j.jconrel.2020.03.001>

10) Lazzarini C et al., Preclinical evaluation of acylhydrazone SB-AF-1002 as a novel broad-spectrum antifungal agent. *Antimicrobial Agents and Chemotherapy* 2020 <https://doi.org/10.1128/AAC.00946-20>

11) A.M.Kimura et al., Myricetin prevents high molecular weight Aβ1-42 oligomer-induced neurotoxicity through antioxidant effects in cell membranes and mitochondria. *Free Radical Biology and Medicine*, 2021
<https://doi.org/10.1016/j.freeradbiomed.2021.05.019>.

12) T Arisawa et al. [11C]K-2 image with positron emission tomography represents cell surface AMPA receptors. *Neuroscience Research*, 2021, <https://doi.org/10.1016/j.neures.2021.05.009>.

13) M Amano et al. Fluorine-Modifications Contribute to Potent Antiviral Activity against Highly Drug-Resistant HIV-1 and Favorable Blood-Brain Barrier (BBB) Penetration Property of Novel Central Nervous System (CNS)-targeting HIV-1 Protease Inhibitors In Vitro. *Antimicrob Agents Chemother*, 2022 <https://doi.org/10.1128/AAC.01715-21>

14) Ogiya, D., Murayama, N., Kamiya, Y. et al. Low cerebrospinal fluid-to-plasma ratios of orally administered lenalidomide mediated by its low cell membrane permeability in patients with hematologic malignancies. *Ann Hematol*, 2022. <https://doi.org/10.1007/s00277-022-04893-w>

BBB Analysis (7 publications)

1) Tominaga N et al. Brain metastatic cancer cells release microRNA-181c-containing extracellular vesicles capable of destructing blood-brain barrier. *Nat Commun*. 2015;6:6716 <https://doi.org/10.1038/ncomms7716>

2) Torii Y. et al., Metabolome analysis reveals the association between the kynurenone pathway and human herpesvirus 6 encephalopathy in immunocompetent children. *Metabolomics* (2017) 13: 126. <https://doi.org/10.1007/s11306-017-1268-x>

3) Hashimoto Y et al. Claudin-5-binders enhance permeation of solutes across the blood-brain barrier in a mammalian model. *J Pharmacol Exp Ther*. 2017;363(2):275-283. <https://doi.org/10.1124/jpet.117.243014>

4) Mochizuki T. et al., Functional Investigation of Solute Carrier Family 35, Member F2, in Three Cellular Models of

the Primate Blood-Brain Barrier. Drug Metabolism and Disposition January 2021

<https://doi.org/10.1124/dmd.120.000115>

5) S Munesue et al. Transport of oxytocin to the brain after peripheral administration by membrane-bound or soluble forms of receptors for advanced glycation end-products. *J Neuroendocrinol.* 2021, <https://doi.org/10.1111/jne.12963>

6) Y Yamamoto, Use of Cocultures to Measure the Blood–Brain Barrier Permeability of Oxytocin. *Oxytocin* 2021, https://doi.org/10.1007/978-1-0716-1759-5_15

7) T Iwasaki et al. In vitro transcytosis of Helicobacter pylori histidine-rich protein through gastric epithelial-like cells and the blood–brain barrier. *Bioscience, Biotechnology, and Biochemistry* 2021, <https://doi.org/10.1093/bbb/zbab221>

RBT-24H (27 publications)

Permeability Assay (21 publications)

1) Spencer B et al. A neuroprotective brain-penetrating endopeptidase fusion protein ameliorates Alzheimer disease pathology and restores neurogenesis. *J Biol Chem.* 2014;289(25):17917–31. <https://doi.org/10.1074/jbc.m114.557439>

2) Hanada S et al. Cell-based in vitro blood-brain barrier model can rapidly evaluate nanoparticles' brain permeability in association with particle size and surface modification. *Int J Mol Sci.* 2014;15(2):1812–25.

<https://doi.org/10.3390/ijms15021812>

3) Bohara M et al. C-type natriuretic peptide modulates permeability of the blood-brain barrier. *J Cereb Blood Flow Metab.* 2014;34(4):589–96. <https://doi.org/10.1038%2Fjcbfm.2013.234>

4) Pelisch N et al. Plasminogen activator inhibitor-1 antagonist TM5484 attenuates demyelination and axonal degeneration in a mice model of multiple sclerosis. *PLoS One.* 2015;10(4):1–17.

<https://doi.org/10.1371/journal.pone.0124510>

5) Pervin M et al. Blood brain barrier permeability of (−)-epigallocatechin gallate, its proliferation-enhancing activity of human neuroblastoma SH-SY5Y cells, and its preventive effect on age-related cognitive dysfunction in mice. *Biochem Biophys Reports [Internet].* 2017;9:180–186. <https://doi.org/10.1016/j.bbrep.2016.12.012>

6) Watanabe Y et al. Design and synthesis of novel δ opioid receptor agonists with an azatricyclodecane skeleton for improving blood-brain barrier penetration. *Bioorg Med Chem Lett.* 2017 May 26. pii: S0960-894X(17)30571-1.

<https://doi.org/10.1016/j.bmcl.2017.05.072>

7) Kurokawa Y et al. Aggregation is a critical cause of poor transfer into the brain tissue of intravenously administered cationic PAMAM dendrimer nanoparticles. *Int J Nanomedicine.* 2017 12: 3967-3975.

<https://doi.org/10.2147/ijn.s125808>

- 8) Yoshimaru T et al. Stapled BIG3 helical peptide ERAP potentiates anti-tumour activity for breast cancer therapeutics. *Scientific Reports* 2017;7(1):1821. <https://doi.org/10.1038/s41598-017-01951-6>
- 9) Jung Seok Kim, Dae Hwan Shin, Jin-Seok Kim. Dual-targeting immunoliposomes using angiopep-2 and CD133 antibody for glioblastoma stem cells. *J Control Release*. 2017;269:245-257. <https://doi.org/10.1016/j.jconrel.2017.11.026>
- 10) Unno K et al. Blood-Brain Barrier Permeability of Green Tea Catechin Metabolites and their Neuritogenic Activity in Human Neuroblastoma SH-SY5Y Cells. *Mol Nutr Food Res.* 2017;61(12). <https://doi.org/10.1002/mnfr.201700294>
- 11) Daisuke I et al. Type I interferon protects neurons from prions in vivo models. *Brain*, awz016, <https://doi.org/10.1093/brain/awz016>
- 12) Hase T et al. Rosmarinic acid suppresses Alzheimer's disease development by reducing amyloid β aggregation by increasing monoamine secretion. *Sci Rep.* 2019 Jun 18;9(1):8711. <https://doi.org/10.1038/s41598-019-45168-1>
- 13) Kimiyuki S et., al. Brain Targeting of Acyl-CoA:Cholesterol O-Acyltransferase-1 Inhibitor K-604 via the Intranasal Route Using a Hydroxycarboxylic Acid Solution. *ACS Omega* 2019,4,16,16943-16955
<https://doi.org/10.1021/acsomega.9b02307>
- 14) Yano, M. et al. BBB-permeable aporphine-type alkaloids in *Nelumbo nucifera* flowers with accelerative effects on neurite outgrowth in PC-12 cells. *J Nat Med* (2019). <https://doi.org/10.1007/s11418-019-01368-7>
- 15) Yano, M., Nakashima, S., Kasa, S. et al. Accelerative effects of carbazole-type alkaloids from *Murraya koenigii* on neurite outgrowth and their derivative's in vivo study for spatial memory.
J Nat Med (2020). <https://doi.org/10.1007/s11418-020-01388-8>
- 16) Yamaguchi S et al., Novel cyclic peptides facilitating transcellular blood-brain barrier transport of macromolecules in vitro and in vivo. *Journal of Controlled Release*. 2020 <https://doi.org/10.1016/j.jconrel.2020.03.001>
- 17) Eguchi K. et al., Blood-brain barrier permeability analysis of plant ceramides. *PLoS One* 2020
<https://doi.org/10.1371/journal.pone.0241640>
- 18) Bibin G et al., Mimosine functionalized gold nanoparticles (Mimo-AuNPs) suppress β -amyloid aggregation and neuronal toxicity. *Bioactive Materials*, 2021, <https://doi.org/10.1016/j.bioactmat.2021.04.029>.
- 19) R Shimazu et al. Evaluation of Blood-Brain Barrier Permeability of Polyphenols, Anthocyanins, and Their

Metabolites. J Agric Food Chem. 2021 <https://doi.org/10.1021/acs.jafc.1c02898>

- 20) K Unno and Y Nakamura, Green Tea Suppresses Brain Aging. Molecules 2021, <https://doi.org/10.3390/molecules26164897>
- 21) A. Wnuk et al., Prenatal Exposure to Triclocarban Impairs ESR1 Signaling and Disrupts Epigenetic Status in Sex-Specific Ways as Well as Dysregulates the Expression of Neurogenesis- and Neurotransmitter-Related Genes in the Postnatal Mouse Brain. Int. J. Mol. Sci. 2021, <https://doi.org/10.3390/ijms222313121>

BBB Analysis (6 publications)

- 1) Muramatsu R et al. Prostacyclin prevents pericyte loss and demyelination induced by lysophosphatidylcholine in the central nervous system. J Biol Chem. 2015;290(18):11515–25. <https://doi.org/10.1074/jbc.m114.587253>
- 2) Takagi T et al. Cilostazol ameliorates collagenase-induced cerebral hemorrhage by protecting the blood-brain barrier. J Cereb Blood Flow Metab. 2015 <https://doi.org/10.1177/0271678x15621499>
- 3) Miyazaki W, Fujiwara Y, Katoh T. The effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on the development and function of the blood-brain barrier. Neurotoxicology. 2016 Jan;52:64–71. <https://doi.org/10.1016/j.neuro.2015.11.003>
- 4) Zeniya S et al. Angubindin-1 opens the blood-brain barrier in vivo for delivery of antisense oligonucleotide to the central nervous system. J Control Release. 2018 May 10. <https://doi.org/10.1016/j.jconrel.2018.05.010>
- 5) Shigemoto-Mogami Y, Hoshikawa K and Sato K. Activated Microglia Disrupt the Blood-Brain Barrier and Induce Chemokines and Cytokines in a Rat in vitro Model. Front. Cell. Neurosci., 2018 <https://doi.org/10.3389/fncel.2018.00494>
- 6) Wang Z et al., FTY720 Protects Against Ischemia-Reperfusion Injury by Preventing the Redistribution of Tight Junction Proteins and Decreases Inflammation in the Subacute Phase in an Experimental Stroke Model. Transl Stroke Res. 2020 <https://doi.org/10.1007/s12975-020-00789-x>

RBC-12 (4 publications)

BBB Analysis

- 1) Xu L et al. Silver nanoparticles induce tight junction disruption and astrocyte neurotoxicity in a rat blood-brain barrier primary triple coculture model. Int J Nanomedicine. 2015;10:6105–19. <https://doi.org/10.2147/ijn.s85265>
- 2) Nakadate H et al. Reactive astrocytes contribute to decreased blood-brain barrier integrity after impulsive pressure loading in vitro, Journal of Biomechanical Science and Engineering, 2021, <https://doi.org/10.1299/jbse.21-00075>

Permeability Assay (2 publications)

1) Imamura S et al. The blood-brain barrier permeability of geissoschizine methyl ether in Uncaria hook, a galenical constituent of the traditional Japanese medicine yokukansan. *Cell Mol Neurobiol.* 2011;31(5):787–93. <https://doi.org/10.1007/s10571-011-9676-3>

2) Tabuchi M et al. The blood-brain barrier permeability of 18b-glycyrrhetic acid, a major metabolite of glycyrrhizin in glycyrrhiza root, a constituent of the traditional Japanese medicine yokukansan. *Cell Mol Neurobiol.* 2012;32(7):1139–46. <https://doi.org/10.1007/s10571-012-9839-x>

RBE-12 (5 publications)

Permeability Assay

1) Nishigaki R et al. Monosodium glutamate ingestion during the development period reduces aggression mediated by the vagus nerve in a rat model of attention deficit-hyperactivity disorder. *Brain Res.* 2018 Apr 9. pii: S0006-8993(18)30186-0. <https://doi.org/10.1016/j.brainres.2018.04.006>

2) Ohshima M. et al. Prediction of Drug Permeability Using In Vitro Blood–Brain Barrier Models with Human Induced Pluripotent Stem Cell-Derived Brain Microvascular Endothelial Cells. *BioResearch.* Nov. 2019.

<http://doi.org/10.1089/biores.2019.0026>

BBB Analysis (3 publications)

1) Lukic-Panin V et al. Free radical scavenger edaravone administration protects against tissue plasminogen activator induced oxidative stress and blood brain barrier damage. *Curr Neurovasc Res.* 2010;7(4):319–29.

<https://doi.org/10.2174/156720210793180747>

2) Zhang J et al. Anti-high mobility group box-1 monoclonal antibody protects the blood-brain barrier from ischemia-induced disruption in rats. *Stroke.* 2011;42(5):1420–8. <https://doi.org/10.1161/strokeaha.110.598334>

3) Masago K et al. Lysophosphatidic acid receptor, LPA6, regulates endothelial blood-brain barrier function: Implication for hepatic encephalopathy. *Biochem Biophys Res Commun.* 2018 Jul 2;501(4):1048-1054.

<https://doi.org/10.1016/j.bbrc.2018.05.106>

BMEC coating solution (5 publications)

1) Kokubu Y, Yamaguchi T, Kawabata K. In vitro model of cerebral ischemia by using brain microvascular endothelial cells derived from human induced pluripotent stem cells. *Biochem Biophys Res Commun.* 2017 Apr 29;486(2):577-583. <https://doi.org/10.1016/j.bbrc.2017.03.092>

2) Kurosawa T. et al., Expression and Functional Characterization of Drug Transporters in Brain Microvascular Endothelial Cells Derived from Human Induced Pluripotent Stem Cells. *Mol Pharm.* 2018 Dec 3;15(12):5546-5555.

<https://doi.org/10.1021/acs.molpharmaceut.8b00697>

- 3) Yamaguchi T et al., Effect of heat stress on blood-brain barrier integrity in iPS cell-derived microvascular endothelial cell models. PLoS One. 2019; 14(9): e0222113. <https://doi.org/10.1371/journal.pone.0222113>
- 4) Aoki H et al., Laminin 221 fragment is suitable for the differentiation of human induced pluripotent stem cells into brain microvascular endothelial-like cells with robust barrier integrity. Fluids Barriers CNS 17, 25 (2020). <https://doi.org/10.1186/s12987-020-00186-4>
- 5) Kurosawa T et al. Transport Characteristics of 6-Mercaptopurine in Brain Microvascular Endothelial Cells Derived From Human Induced Pluripotent Stem Cells. J Pharmaceu. Sci. 2021, <https://doi.org/10.1016/j.xphs.2021.06.007>

Monkey BMECs (1 publication)

- 1) Mochizuki T. et al., Functional Investigation of Solute Carrier Family 35, Member F2, in Three Cellular Models of the Primate Blood-Brain Barrier. Drug Metabolism and Disposition January 2021
<https://doi.org/10.1124/dmd.120.000115>